


# THE MAVERICK

**Assembly Instruction Manual**

## PARTS LIST

1. LONG BASE TUBE (2X)



2. SHORT BASE TUBE (2X)



3. END SUPPORTS (2X)



4. CORNER HUBS (12X)



5. RODS (29X)



6. LONG HEX BOLTS (20X)



7. SHORT HEX BOLTS (4X)



8. SHORT CARRIAGE BOLTS (112X)



9. LONG CARRIAGE BOLTS (4x)



10. LOCK NUTS (140X)



11. WASHERS (70X)



12. HUB PLATFORM LOCK NUTS (12X)



13. HUB PLATFORMS (12X)



## TOOLS NEEDED

1. 7/16", 9/16" AND 1/2" WRENCHES (Combination or Socket)
2. A SECOND 7/16" WRENCH (or Adjustable)
3. STEP STOOL OR LADDER
4. A PARTNER IS RECOMMENDED FOR EASE AND SAFETY

### INSTRUCTIONS:

Follow each step of the Assembly Instruction Manual carefully for safety and ease of assembly.

**PARTS NOT INCLUDED:** Floor Anchors. Four (4) concrete or stud anchors will be needed at the end of the assembly process to avoid potential tipping and injury. The appropriate anchor fastener must be used for your application.




### **MISUSE OF THIS CAN RESULT IN SEVERE INJURY**

BOTH INTELLIGENT TRAINING EQUIPMENT LLC AND BUYER DISCLAIM ANY EXPRESS OR IMPLIED WARRANTY, INCLUDING, WITHOUT LIMITATION, WARRANTIES OR MERCHANTABILITY AND/OR FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE EQUIPMENT. BUYER ASSUMES ALL LIABILITY IN USE OF EQUIPMENT. BEFORE EACH USE, VISUALLY INSPECT THE DEVICE. NEVER USE THE DEVICE IF IT IS NOT WORKING PROPERLY, NOT INSTALLED PROPERLY OR IF IT SHOWS SIGNS OF DAMAGE OR DETERIORATION.

## STEP 1 - BASE STRUCTURE ASSEMBLY

### PARTS NEEDED:


1. LONG BASE TUBE (2X)




2. SHORT BASE TUBE (2X)



3. LONG HEX BOLTS (16X) - LOCK NUTS (16X) - WASHERS (8X)



FULLY TIGHTEN ALL LONG BOLTS



SUPPORT TABS FACE OUTWARD



### INSTRUCTIONS:

Lay out the “Long” and “Short Base Tubes” out on the ground in a rectangle as shown. Fasten both “Short Base Tubes” to each end of each “Long Base Tube” using “Long Hex Bolts”. Be sure that the angled support tabs at the center of the “Long Base Tubes” are facing outward & upward. Be sure that the ends of the “Short Base Tubes” slope down towards the floor. Fully tighten all bolts until the base structure is ridged.

## STEP 2 - FIRST ROD ASSEMBLY

### PARTS NEEDED:

1. CORNER HUBS (2X)




2. SHORT HEX BOLTS (4X) - LOCK NUTS (4X) - WASHERS (2X)




3. RODS (4X)




4. SHORT CARRIAGE BOLTS (8X) - LOCK NUTS (8X) - WASHERS (4X)



FULLY TIGHTEN SHORT HEX BOLTS



LOOSELY TIGHTEN RODS TO CORNER HUBS



### INSTRUCTIONS:

Attach and fully tighten “Corner Hubs” to the top side of the “Long Base Tube” tabs using “Short Hex Bolts, Washers & Lock Nuts”.

Attach and loosely tighten “Rods” to the lower holes of the “Corner Hubs” using “Carriage Bolts, Washers & Lock Nuts”.

## STEP 3 - SECOND ROD ASSEMBLY

### PARTS NEEDED:

1. END SUPPORTS (2X)

2. LONG HEX BOLTS (4X) - LOCK NUTS (4X) - WASHERS (2X)




3. CORNER HUBS (2X)

4. SHORT CARRIAGE BOLTS (8X) - LOCK NUTS (8X) - WASHERS (4X)

5. RODS (2X)

6. LONG CARRIAGE BOLTS (4X) - LOCK NUTS (4X)

LOOSELY TIGHTEN CORNER HUBS TO RODS      FASTEN END SUPPORTS AND VERT. RODS



### INSTRUCTIONS:

Attach and loosely tighten the “Corner Hubs” to the suspended “Rods” ends using “Short Carriage Bolts”. Attach and fully tighten the “End Supports” to the outside of the “Short Base Tubes” using “Long Hex Bolts”. The bent tab at the top should lay to the outside of the “Corner Hubs”. Fasten the two new “Rods” vertically using the “Long Carriage Bolts” through the top two holes of the “Corner Hubs & End Supports”. Go back and fully tighten all previously loosened “Lock Nuts” of the assembly so far.

## STEP 4 - THIRD ROD ASSEMBLY

### PARTS NEEDED:


1. RODS (10X)





2. CORNER HUB (6X)



3. SHORT CARRIAGE BOLTS (44X) - LOCK NUTS (44X) - WASHERS (22X)



LOOSELY TIGHTEN RODS TO CORNER HUBS WITH SHORT CARRIAGE BOLTS



### INSTRUCTIONS:

Attach and loosely tighten the "Rods" to the holes of the currently assembled "Corner Hubs" using "Short Carriage Bolts". Add new "Corner Hubs" to the ends of each newly installed "Rod" end. Attach the horizontal "Rods" last and loosely tighten with "Short Carriage Bolts".

## STEP 5 - FOURTH ROD ASSEMBLY

### PARTS NEEDED:


1. RODS (8X)





2. CORNER HUB (2X)



3. SHORT CARRIAGE BOLTS (32X) - LOCK NUTS (32X) - WASHERS (16X)



LOOSELY TIGHTEN RODS TO CORNER HUBS WITH SHORT CARRIAGE BOLTS



### INSTRUCTIONS:

Attach and loosely tighten the “Rods” to the holes of the “Corner Hubs” using “Short Carriage Bolts”. Add the remaining “Corner Hubs” last and loosely tighten with “Carriage Bolts”.

**WARNING:** The use of a step stool or latter may be needed at this point. Do not climb on The Maverick Gym during the assembly process.


## STEP 6 - FINAL RODS, TIGHTEN ALL BOLTS

### PARTS NEEDED:

1. RODS (5X)




2. CARRIAGE BOLTS (20X) - LOCK NUTS (20X) - WASHERS (10X)



FULLY TIGHTEN ALL BOLTS

CHECK THAT ALL BOLTS ARE SECURE



### INSTRUCTIONS:

Attach and loosely tighten the final "Rods" to the holes of the "Corner Hubs" using "Short Carriage Bolts". Check all previous instructions to make sure you've installed everything correctly to this point. Fully tighten all previously loosely tightened bolts starting from the lowest bolts and proceed upward until all fasteners are secure. Double-check that all bolts have been sufficiently tightened before moving onto the next step.



## STEP 7 - HUB PLATFORMS & ANCHOR

### PARTS NEEDED:

1. HUB PLATFORM LOCK NUTS (12X)




2. HUB PLATFORMS (12X)




3. FLOOR ANCHORS (4X Concrete or Stud Anchors)


**\*NOT INCLUDED\***



ATTACH HUB PLATFORMS



ANCHOR TO THE FLOOR



### INSTRUCTIONS:

Attach and fully tighten the “Hub Platforms” with “Hub Platform Lock Nuts” at the center hole of each “Corner Hub”. Move your completed Maverick into place. We highly recommend acquiring help to move the completed assembly. Once it’s in position, anchor each end of the “Short Base Tubes” to the floor using the provided anchor holes.

**⚠ WARNING:** “The Maverick Gym” must be properly and securely anchored to the floor to avoid potential tipping and injury.



**MISUSE OF THIS CAN RESULT IN SEVERE INJURY**

BOTH INTELLIGENT TRAINING EQUIPMENT LLC AND BUYER DISCLAIM ANY EXPRESS OR IMPLIED WARRANTY, INCLUDING, WITHOUT LIMITATION, WARRANTIES OR MERCHANTABILITY AND/OR FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE EQUIPMENT. BUYER ASSUMES ALL LIABILITY IN USE OF EQUIPMENT. BEFORE EACH USE, VISUALLY INSPECT THE DEVICE. NEVER USE THE DEVICE IF IT IS NOT WORKING PROPERLY, NOT INSTALLED PROPERLY OR IF IT SHOWS SIGNS OF DAMAGE OR DETERIORATION.

**DISCLAIMER**

Resistance training, gymnastics training, and activities at height are potentially dangerous and may lead to severe injury or even death. Use common sense when training, to obtain instruction in the proper execution of movements, and understand your limitations. This equipment must only be used by competent and responsible persons, or under the direct and visual control of a competent and responsible person. Obtaining instruction in appropriate techniques and methods of use is your own responsibility. You assume all risks and responsibilities for all damage, injury or death which may occur during or following incorrect use of this equipment in any matter whatsoever. Intelligent Training Equipment LLC bears no liability beyond the replacement value of the equipment in question.

## One Year Limited Warranty

Products are warranted by Intelligent Training Equipment LLC, to the original user-owner only, against defective materials or workmanship for one year, beginning from the original shipment date.

During the warranty period, at the discretion of Intelligent Training Equipment LLC management, if a product is found to be defective, it will be repaired or replaced without charge.

Contact Intelligent Training Equipment LLC at [info@themaverickgym.com](mailto:info@themaverickgym.com) for service or to obtain a Return Label.

Any product shipped to Intelligent Training Equipment LLC must have a Return Label and proof of original shipment date. The repaired or replacement product will be returned with transportation charges prepaid by Intelligent Training Equipment LLC.

This warranty does not cover defects in the product caused by ordinary wear and tear, moisture causing rust, abuse, misuse, overloading, accident (including shipping damage), improper maintenance, alteration, any other cause not the result of defective materials, or workmanship.

REPAIR OR REPLACEMENT IS THE EXCLUSIVE REMEDY FOR DEFECTIVE PRODUCT UNDER THIS WARRANTY. THIS WARRANTY IS EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANT ABILITY OR ANY IMPLIED WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE OF THIS PRODUCT. INTELLIGENT TRAINING EQUIPMENT LLC SHALL NOT BE LIABLE FOR ANY CONSEQUENTIAL OR INCIDENTAL DAMAGES.

Intelligent Training Equipment LLC reserves the right to make changes in the design or construction of our products without obligation to incorporate such changes in products already sold and without notice.

### WHAT IS NOT COVERED

This Limited Warranty does not cover normal wear and tear or rust on items such as, but not limited to: hardware and paint coatings/finishes.

This warranty is void if the Product is improperly stored, exposed to moisture, assembled, altered and/or modified in any way. Improper assembly indications includes stripped threads on nuts/bolts. Improper storage indications includes rust. PRODUCTS ARE NOT INTENDED FOR OUTDOOR USE.

It does not cover misuse/abuse or accident/damage such as scratches, dents, or cosmetic damage to paint/finishes.

As described in the User Guide, the product requires maintenance and this warranty does not cover claims resulting from failure to maintain or improper maintenance nor does it cover repair for any noises such as: squeaks, clunks, thumps resulting from poor or lack of preventive maintenance.

This Limited Warranty does not extend to any Product that is damaged or rendered defective; (a) as a result of accident, misuse, or abuse; (b) use with the Product of any part not manufactured or sold by Intelligent Training Equipment LLC; (c) by modification of the Product; (d) by normal wear and tear or exposure to moisture; (e) operation using incorrect power supplies; or (f) as a result of service by anyone other than Intelligent Training Equipment LLC, or an authorized Intelligent Training Equipment LLC service provider.

Should any Product submitted for warranty service be found ineligible, an estimate of repair cost will be furnished.

Any labor cost is the responsibility of the original purchaser. If a Product requires shipment, delivery or transport it is the purchaser's sole responsibility and to pay for any fees associated with servicing of a Product. Any evidence of alteration, erasing or forgery of proof-of purchase documents voids this One Year Limited Warranty. This One Year Limited Warranty applies only to Product purchased from Intelligent Training Equipment LLC.

### FOR ALL WARRANTIES

\* Warranty may be voided for any product which has been damaged due to negligent or faulty use, alteration, maintenance, storage or handling by the user. Any specific issues regarding an Intelligent Training Equipment LLC product with which a customer is not satisfied will be reviewed on a case-by-case basis.

\*\* Warranty against bending does not cover any bar or metal part which has been damaged due to negligent or faulty use, alteration, maintenance, storage or handling by the user. Negligent or faulty use includes abusive force on a bar (i.e., dropping items on a bar, multiple users at one time, excessive dropping with suspension devices such as straps or chains, jumping on bars, using the device without proper floor mounting, and similar usage). Any specific issues regarding an Intelligent Training Equipment LLC product with which a customer is not satisfied will be reviewed on a case-by-case basis. We have found that most problems with bars and metal parts we replace are related to abusive use or improper storage rather than manufacturing or materials issues.

## Returns & Refunds

### Returns

Intelligent Training Equipment LLC has a 30-day return policy. If 30 days have gone by since your purchase was delivered, unfortunately we are unable to offer you a refund or exchange. For any returns within 30 days, the customer is responsible for paying return shipping and a 10% restocking fee equal to the amount of the original outbound shipping and handling.

To be eligible for a return, we require a receipt or proof of purchase; and your item must be in the original packaging, unused, and in the same condition that you received it.

There are certain situations where only partial refunds are granted (if applicable).

Any item not in its original condition, damaged, or missing parts for reasons not due to our error are not eligible for return.

### Refunds

Once your return is received and inspected, we will send you an email to notify you that we have received your returned item and whether the return is approved or rejected.

If your return is approved, we will process your return within a week of receiving the returned product and a credit will automatically be applied to your credit card or original method of payment.

### Undeliverable Shipments

Any order that is deemed undeliverable will be returned to the shipper. Refunds for undeliverable shipments will be processed after 30 days if a customer fails to respond to calls and emails to set up a delivery time.

Customers that do contact us within 30 days to schedule delivery will be responsible for paying new shipping costs as well as previous return shipping costs before product reships.

After 30 days returned shipments will be refunded less return shipping fees and storage fees if applicable.

### Late or Missing Refunds

Please allow up to four weeks for your credit to be posted due to shipping and processing times. If you haven't received a refund after four weeks, please first check with your bank. There is often a lag time before the refund is posted. Then contact your credit card company, as it may take some time before your refund is officially posted.

If you've done all of this and there is still no sign of your refund, please contact us at [info@themaverickgym.com](mailto:info@themaverickgym.com).

### Clearance Items

Only regular inventory items are eligible for a refund. Clearance items cannot be refunded.

### Exchanges

We only replace items if they are defective. If you need to exchange it for the same item, send us an email and request a Return Shipping Label at [info@themaverickgym.com](mailto:info@themaverickgym.com) and send your item to:

(399 N. Burr Oak Ave. Oregon, WI 53575)

### Shipping

To return your product, send us an email and request a Return Shipping Label at [info@themaverickgym.com](mailto:info@themaverickgym.com) and send your item to:

(399 N. Burr Oak Ave. Oregon, WI 53575)

You are responsible for paying the shipping costs for returning your item. Shipping costs are non-refundable. If you receive a refund, the cost of return shipping will be deducted from your refund.

Depending on where you live, the time it takes for your exchanged product to reach you will vary.

If you are shipping an item over \$75, consider using a trackable shipping service or purchasing shipping insurance. We have no way of guaranteeing that we will receive your returned item.